





EN - **USE AND MAINTENANCE  
MANUAL**  
FITT Quantum hose reel



[USA.FITT.COM](http://USA.FITT.COM)

---

# EN

**Important safety and installation instructions. Please read and follow all warnings and instructions before using this product. Injury can result from improper use.**

Thank you for your purchase of the product!

Installing your new hose reel is as easy as 1-2-3

---

## USE AND MAINTENANCE MANUAL

**USE ON THE FLOOR**

**p. 03**

## USE AND MAINTENANCE MANUAL

**USE ON WALL MOUNT**

**p. 08**

---

**MORE INFORMATION**

**p. 14**

---

## CONTENT OF THE BOX

---

1x Hose reel  
1x Upper handle with sleeve cover  
1x Main hose with quick-fit adapter  
1x Leader hose

**Bag content**  
1x Instruction sheet  
4x Foot protectors  
1x Hose reel handle  
2x Wall brackets  
2x Screws for wall bracket  
2x Wall bracket pin

# FOR USE ON THE FLOOR

## INSTALLATION INSTRUCTIONS

---

### STEP 01

---



---

## STEP 02


---

---

**HOLD THE BLACK INSERT FOR THE HANDLE  
WHILE INSTALLING**

---

**TIGHTEN THE CAP**




---

## STEP 03

---


### TIGHTEN THE CONNECTION



---

## STEP 04

---



---

## STEP 05



---

---

TO CONNECT MAIN HOSE

---

TIGHTEN THE CONNECTION



# FOR USE ON WALL MOUNT

## INSTALLATION INSTRUCTIONS

---

### STEP 01

---





---

## STEP 02


---

---

**HOLD THE BLACK INSERT FOR THE HANDLE  
WHILE INSTALLING**

---


**TIGHTEN THE CONNECTION**



---

**STEP 03**

---




---

## STEP 04

---


### TIGHTEN THE CONNECTION



---

STEP 05

---



---

## STEP 06


---

---

TO CONNECT MAIN HOSE

---

TIGHTEN THE CONNECTION



---

## SAFETY WARNINGS


---

- Our product is intended for outdoor watering applications only
- Not for hot water use
- Do not leave under pressure when not in use
- Do not leave unattended children to use the product
- Do not leave out on freezing temperatures
- Store indoors in winter
- Coupling protection: to avoid any kind of corrosion causing fusion between the faucet and the coupling on the hose, we suggest disconnecting and reconnecting the hose from any metal spigot a minimum of 3 times per year.

---

## REMOVABLE COUPLINGS

---



As part of the FITT commitment to sustainability, the Aquamaster hose is supplied with removeable, reusable couplings. If the hose is damaged, the coupling is simply removed using a 1/2" hex-key and a pair of adjustable pliers and is easily reattached once the damaged hose is removed, extending the life of the hose. Please download the instruction manual for more details on repairing your Aquamaster hose.

- 
- Optimum working pressure from 29 up to 100 psi
  - Bursting pressure 350 psi
-

 and **fitt** are registered trademarks of FITT S.p.A.

---

The medium metallic graphite gray color of the hose coupling is a Registered U.S. Trademark of FITT S.p.A.

The gray stripe is a trademark of Fitt S.p.A.

---

usa.fitt.com

## FITT GARDENING SOLUTIONS

This is the business area of the FITT group that develops solutions and products for gardening, irrigation, cleaning and outdoor life applications for hobby and professional use, such as hoses for camping, watering ornamental gardens, terraces and vegetable gardens, washing cars, bicycles and pets.

### Certified



This company meets high standards of social and environmental impact.

Corporation

For more information:

### FITT USA Inc.

Mooresville, North Carolina USA  
customer care.usa@fitt.com  
usa.fitt.com

